



Cert. No. Q11546



JAMINAN KUALITAS

SISTIM LEMARI DORONG **LION**

(MOBILE FILING SYSTEM)





JAMINAN KUALITAS

MOBILE FILING SYSTEM

Adalah sistim modern untuk penyimpanan arsip dan barang yang diciptakan oleh LION untuk menghasilkan ekstra kapasitas ruang, ekonomis dan efisien.

PENGHEMATAN RUANGAN

Dengan sistim lemari dorong LION, menghasilkan ekstra kapasitas ruang penyimpanan sampai dengan 100%. Bila dibandingkan dengan rak statis biasa yang banyak memerlukan gang.

EFFISIEN

Karena tempat penyimpanan dapat dicapai lebih singkat, sehingga menambah efisiensi kerja.

EKONOMIS

Karena volume pemakaian ruang yang lebih kecil dibandingkan dengan sistim konvensional untuk volume penyimpanan yang sama besarnya.

RINGAN DAN MUDAH PENGOPERASIANNYA


Sistim lemari dorong LION dengan penggerak mekanis dengan menggunakan rantai, mampu untuk mendorong sejumlah lemari dinamis dengan total beban sampai dengan 10.000 Kg hanya memerlukan tenaga yang ringan.

PENAMPILAN YANG INDAH & KERAPIHAN PENGARSIPAN


Setiap unit lemari dinamis dapat dirapatkan satu sama lain dan dapat dikunci secara sentral pada lemari single dinamis, sehingga menjamin keamanan arsip secara menyeluruh.

Secara keseluruhan memberikan nilai keindahan yang tinggi, kuat dan tahan lama.

Perbandingan Pemakaian Ruang




Ukuran Standar Lemari Dorong LION



SISTIM PENGGERAK

MANUAL



Lemari di dorong melalui handel yang terbuat dari P.U.

Tersedia dalam 4 tipe.

L 37 ukuran (TxPxL) 220 x 240 x100 cm

L 37A ukuran (TxPxL) 220 x 320 x100 cm

L 37B ukuran (TxPxL) 220 x 400 x100 cm

L 37C ukuran (TxPxL) 220 x 480 x100 cm

MEKANIS



Lemari digerakan dengan memutar handel, melalui sistim mekanis dengan menggunakan rantai, setiap 1x putaran handel, lemari akan bergerak 10 - 14 cm.

ELEKTRIS



Lemari digerakan oleh motor listrik dengan daya 0,2 kw, 220 v single phase, dengan menekan tombol yang ada pada setiap lemari dinamis. Kecepatan translasi 7-8 m/menit.

ING SYSTEM



Pemasangan Base



CKD Installation



Adjustable Self



Safety Bar





MOBILE FILING SYSTEM DENGAN DISAIN KHUSUS

Selain dari produk mobile file dengan disain standart, PT LION METAL WORKS juga membuat mobile file dengan ukuran dan disain khusus yang dirancang sesuai dengan kebutuhan dan pemakaiannya yang lebih efisien sesuai dengan permintaan pemakai.



**P T.
LION
METAL WORKS.**



Dealer



SYMBOL OF QUALITY



Cert. No. Q11546




MECHANICAL OPERATED SYSTEM

The mechanical operated system are designed for more heavy duty system in comparison to Manual System, is the best and most commonly used for system from 2 meters to 6 meters in depth. Each of the trolley units is completed with a mechanical steering handle, with a starting force of less then 9 kg, the operator can open numbers of trolleys at the same time with the load on trolleys for 10,000 kg.

The standard installation of LION Mobile Filling System are consists of 1 (one) Single Static Unit, numbers of Double Dynamic Units and 1 (one) unit of Single Dynamic ending unit completed with centralize locking system. Alternatively if the space is available, the ending unit can be install with Double Dynamic Unit with sliding door at the end opening.

Rail design and position for each depth



**PT
LION
METAL WORKS Tbk**

A member of the Lion Group




SYMBOL OF QUALITY



Cert. No. Q11546

THE LION MOBILE FILLING SYSTEM



• **Single Statics (SS)**

400 (W) X 1000 (D) X 2150 (H)

• **Double Dynamic (DD)**

800 (W) X 1000 (D) X 2150 (H)

• **Single Dynamic (SD)**

400 (W) X 1000 (D) X 2150 (H)

	LION 37	LION 37 A	LION 37 B	LION 37 C
Consist of SS-DD-SD	1 - 1 - 1 	1 - 2 - 1 	1 - 3 - 1 	1 - 4 - 1
Length (mm)	2400	3200	4000	4800
Height (mm)	2250	2250	2250	2250
Depth (mm)	1000	1000	1000	1000
Weight (kg)	300 kg	420 kg	550 kg	660 kg

MANUAL OPERATED SYSTEM

The feature of the LION Mobile Filling System is consisted of two main steel fabricated components. Designed in CKD (Completed Knock Down) system of which enable for easy mobilization and installation. The manual operated system is designed for unit length of 1 or 2 meters in depth. Required a very light force/power by the operators to open or close the unit. Is a very cost efficiency and economical installation for user.

1. BASE FRAME AND TROLLEY UNIT

The Base Frame was constructed from rigid welded steel structure with built in steel rail for the smooth travel of trolley units. Frame was cover with plywood platform and furnished with carpet.



The Trolley Units are fabricated from welded steel frame and equipped with steel wheel/ball bearing of which ensure the smooth movement of the trolleys.

2. STORAGE CUPBOARD BODY UNITS

The Storage Cupboard Body Units were installed onto the Trolley Units on the Base Frame to form the complete Mobile Filling System.

It was designed into CKD system, which are very flexible and easy to assemble. The components are consists of Top Panel, Side Panel, Back Panel, Adjustable Shelf and others accessories.

The LION Mobile Filling System is the solution to your filling problem. It is the modern ways of filling storages system with elegant design and efficient in space utilization.

The design of LION Mobile Filling System was made to eliminating the aisles between rows of rack to only one aisle per installation. This enables the space saving up to 100% in comparison to the conventional storage racking system.

The LION Mobile Filling System is available in three operating systems, namely Manual System, Mechanical System and Electrical System.

SECURITY SAFE & FIRE PROOF FILING CABINET



SYMBOL OF QUALITY



Certificate No. ID04/0390

Lion Security and Fire Proof Safe

Lion Security and Fire Proof Safe khusus dibuat dari bahan berkualitas tinggi untuk memenuhi kebutuhan akan produk tahan api berstandar internasional. Lion Security and Fire Proof Safe telah diuji oleh pihak yang berwenang dan terbukti memenuhi standar internasional. Aman digunakan untuk menyimpan dokumen - dokumen penting, sertifikat, uang, emas, jam tangan dan barang - barang berharga lainnya.

Lion Security and Fire Safe are specially designed with high quality insulation materials to meet the highest performance of international fire protection requirements. It was tested and proved to meet the international standard with certification from the authority in charge. Is highly recommended for the safe of important document, certificates, valuable items, money, goldsmiths, watch etc


Lion Security and Fire Proof safes, consists of :

- 1. Lion Fire Proof Filing Cabinet
- 2. Lion Fire Proof Safe
- 3. Lion High Security Safe



Hasil Pengujian

Lion Safe dibakar dalam tungku selama 120 menit dengan suhu hingga 1000 °C



Pengamatan Suhu Selama Pengujian

Waktu (Menit ke)	Suhu Standar Tungku (°C)	Suhu Aktual Tungku Rata-rata (°C)	Suhu Rata-rata bagian luar Contoh Uji (°C)	Suhu Rata-rata bagian dalam Contoh Uji (°C)	Suhu Ruangan (°C)
10	705	474.7	71.4	28.1	29.0
20	795	609.1	221.3	70.6	28.8
30	840	699.7	310.7	92.4	29.6
40	880	763.4	368.7	95.3	29.6
50	905	816.5	448.8	97.5	29.4
60	927	869.7	494.7	96.5	29.8
70	945	912.3	542.0	97.0	30.4
80	965	939.2	577.5	95.1	30.8
90	980	989.5	598.0	101.0	31.4
100	990	991.6	622.7	111.6	31.6
110	1000	965.3	655.0	122.7	31.5
120	1010	982.7	682.8	131.2	31.5

Pengujian Sifat Fisika dan Tingkat Ketahanan Api

No.	Jenis Pengujian	Hasil Pengujian	Syarat	Keterangan
1.	Sifat -sifat fisika a. Panjang b. Lebar c. Tinggi d. Berat e. Isolator	75,5 cm 53,0 cm 84,5 cm 200,0 kg Campuran bahan tahan api		Standar : SNI 12-1594-1989
2.	Ketahanan terhadap api : a. Suhu aktual rata-rata di ruang tungku setelah 1 jam b. Suhu rata-rata bagian luar contoh uji setelah 1 jam c. Suhu rata-rata bagian dalam contoh uji setelah 1 jam	756,75 °C 751,08 °C 107,60 °C	927 °C 927 °C maks.177 °C	Data pengujian adalah data lama


Lion Fire Proof Filing Cabinet

Lion Fire Proof filing cabinet hadir untuk memenuhi kebutuhan akan perlindungan dokumen - dokumen penting dari bahaya kebakaran. Tersedia dengan 2, 3, 4 laci.

Lion Fire Proof filing cabinet presents to overcome the protection of important documents from fire. Available in 2, 3, and 4 drawers model.



L. 742 A



L. 743 A



L. 744 A

Lion Fire Proof Filing Cabinet Spesification

Type	Drawer	Size	Paper Size	Weight
L.742 A-B	2	530 (W) x 775 (D) x 845(H) mm	Foolscap Size	200 Kg
L.743 A-B	3	530 (W) x 775 (D) x 1210(H) mm	Foolscap Size	275 Kg
L.744 A-B	4	530 (W) x 775 (D) x 1580(H) mm	Foolscap Size	350 Kg

Central Lock System

Lion Fire Proof Filing Cabinet didesain dengan sistem "penguncian sentral" dan kunci kombinasi untuk pengamanan ganda. Khusus (optional) tipe B ditambah kunci pada setiap laci sehingga dapat dipergunakan bagi setiap laci untuk masing - masing satu pemakai.


Lion Fire Proof Filing Cabinet are designed with "central lock" system and combination key for double protection. Special (optional) for B type can be added with key on each drawer that can be use for a different user.



Drawer

Kapasitas beban untuk setiap laci adalah 80 kg
Didesain dengan menggunakan heavy duty suspension rollers memungkinkan laci dengan beban berat dapat dibuka dengan mudah.

*Loading Capacity for each drawer is 80 kg
Designed with heavy duty suspension rollers to ensure the smooth opening of drawers, even with heavy load*



L. 743 B


Lion Fire Proof Filing Cabinet

Lion Fire Proof filing cabinet hadir untuk memenuhi kebutuhan akan perlindungan dokumen - dokumen penting dari bahaya kebakaran. Tersedia dengan 2, 3, 4 laci.

Lion Fire Proof filing cabinet presents to overcome the protection of important documents from fire. Available in 2, 3, and 4 drawers model.



L. 742 A



L. 743 A



L. 744 A

Lion Fire Proof Filing Cabinet Spesification

Type	Drawer	Size	Paper Size	Weight
L.742 A-B	2	530 (W) x 775 (D) x 845(H) mm	Foolscap Size	200 Kg
L.743 A-B	3	530 (W) x 775 (D) x 1210(H) mm	Foolscap Size	275 Kg
L.744 A-B	4	530 (W) x 775 (D) x 1580(H) mm	Foolscap Size	350 Kg

Central Lock System

Lion Fire Proof Filing Cabinet didesain dengan sistem "penguncian sentral" dan kunci kombinasi untuk pengamanan ganda. Khusus (optional) tipe B ditambah kunci pada setiap laci sehingga dapat dipergunakan bagi setiap laci untuk masing - masing satu pemakai.


Lion Fire Proof Filing Cabinet are designed with "central lock" system and combination key for double protection. Special (optional) for B type can be added with key on each drawer that can be use for a different user.



Drawer

Kapasitas beban untuk setiap laci adalah 80 kg
Didesain dengan menggunakan heavy duty suspension rollers memungkinkan laci dengan beban berat dapat dibuka dengan mudah.

*Loading Capacity for each drawer is 80 kg
Designed with heavy duty suspension rollers to ensure the smooth opening of drawers, even with heavy load*




L. 743 B

Lion Fire Proof Safe

Lion Fire Proof Safe adalah produk tahan api yang didesain untuk keamanan, memberikan perlindungan dari pencurian dan bahaya kebakaran baik di kantor maupun di rumah.

Lion Fire Proof Safe is a fireproof and security products to protect against thief and fire resistant at home or office.



Sistem penguncian

Kunci kombinasi hingga 1.000.000 variasi angka dan dilengkapi dengan kunci cylinder berikut anak kunci untuk pengaman ganda.

Locking system

Three wheel dial combination lock of which capable of 1.000.000 permutations enable the user to change the number easily using a cylinder key and with addition key lock for double protection.



L. 800



L. 820



L. 840



L. 860

Lion Fire Proof Safe Spesification

Type	External Dimension	Internal Dimension	Drawer Size	Weight	Accessories
L.800	435 (W) x 490 (D) x 400 (H) mm	360 (W) x 285 (D) x 250 (H) mm	350 (W) x 285 (D) x 65 (H) mm	70 Kg	Drawer and 1 shelf
L.820	520 (W) x 485 (D) x 630 (H) mm	390 (W) x 345 (D) x 460 (H) mm	355 (W) x 306 (D) x 90 (H) mm	130 Kg	Drawer and 1 shelf
L.840	700 (W) x 550 (D) x 890 (H) mm	550 (W) x 360 (D) x 630 (H) mm	520 (W) x 330 (D) x 152 (H) mm	240 Kg	Drawer and 1 shelf
L.860	700 (W) x 550 (D) x 1270 (H) mm	630 (W) x 360 (D) x 1010 (H) mm	520 (W) x 330 (D) x 152 (H) mm	340 Kg	Drawer and 2 shelf

Lion High Security Safe

Lion High Security Safe merupakan produk tahan api dengan tingkat keamanan yang tinggi, melindungi dari bahaya kebakaran dan pembongkaran secara paksa menggunakan bor, gergaji, las oxy-acetylene atau bahkan bahan peledak.

Lion High Security Safe is a fire proof and high security products to protect against fire and burglary attack by brute force, drills, saws, oxy-acetylene weld or even explosives.


Pintu - Tebal keseluruhan untuk L.920, L.940 dan L.960 adalah 150 mm sedangkan untuk L.980 dan L.1000 adalah 156 mm termasuk tebal lapisan pelindung pintu 75 mm. Lapisan tersebut menggunakan bahan formula khusus yang memberikan daya tahan tinggi terhadap pembongkaran secara paksa.

Badan - Tebal keseluruhan untuk L.920, L.940 & L.960 adalah 90 mm sedangkan untuk L.980 & L.1000 adalah 100 mm yang kemudian dilas menyeluruh menjadi satu kesatuan struktur.

Kunci - Menggunakan sebuah kunci kombinasi S & G 4 putaran yang dapat dirubah sampai dengan 100.000.000 variasi angka dilengkapi dengan kunci dan anak kunci khusus Presiden 145 mm sesuai dengan standar UL.

Sistem Penguncian - Slot geser pada sisi pintu masing-masing untuk L.920, L.960, L.960 berdiameter 32 mm dan untuk L.980, L.1000 berdiameter 38 mm.

Perlindungan Khusus - Lion High Security Safe dilengkapi dengan 2 sistem penguncian otomatis (Relocking Automatic Device) yang berfungsi apabila terjadi pembongkaran secara paksa atau peledakan maka pintu akan terkunci secara otomatis.



Door - Overall thickness for L.920, L.940 and L.980 is 150 mm and 156 mm for L.980 and L.1000 include 75 mm door protection layer thickness .using special formula the layer giving high endurance to protect against attack by brute force.

Body - Overall thickness for L.920, L.940 and L.980 is 90 mm and 100 mm for L.980, L.1000 and then weld to structure unity.

Key - Using S & G combination Four wheel dial combination lock of which capable of 100.000.000 permutations completed with key lock and 145 mm special key, both locks are with UL Standard.

Locking System - Shift locks on each door side with 32 mm diameter for L.920, L.960, L.960 and 38 mm for L.980, L.1000 .

Special Protection - Lion High Security Safe complete with 2 system Relocking Automatic Device which operate automatically to protect against burglar by brute force, drills, saws, or even explosives.



L. 920



L. 940



L. 960



L. 980



L. 1000



OFFICE EQUIPMENT



Cert. No. ID04/0390



LION OFFICE EQUIPMENT

Lion Office Equipment memberikan solusi penyimpanan arsip dan perlengkapan perkantoran dengan kemampuannya beradaptasi dengan berbagai situasi dan kebutuhan untuk mengoptimalkan fungsi dan penggunaan ruang kantor. Seluruh produk Lion Office Equipment tersedia dalam berbagai ukuran.

Lion Office Equipment provide a variety of solutions to any office storage and filing problem. A major feature of Lion Office Equipment is its ability to adapt to any situation and to any purpose, constructed to optimize internal storage space. All range of Lion Office Equipments are available in various type to meet your office requirements.

FILING CABINET

L.42 - L.43 - L.44 - L.45



UKURAN / Size

- L.42 (2 laci) : 465 (W) x 620 (D) x 700 (H) mm
- L.43 (3 laci) : 465 (W) x 620 (D) x 1000 (H) mm
- L.44 (4 laci) : 465 (W) x 620 (D) x 1300 (H) mm
- L.45 (5 laci) : 465 (W) x 620 (D) x 1600 (H) mm

*L.42E - L.43E - L.44E
(Economy type)*



UKURAN / Size


- L. 42 E (2 laci) : 465 (W) x 620 (D) x 720 (H) mm
- L. 43 E (3 laci) : 465 (W) x 620 (D) x 1020 (H) mm
- L. 44 E (4 laci) : 465 (W) x 620 (D) x 1320 (H) mm

Lion Filing Cabinet didesain secara built up atau sistem CKD (*Complete Knock Down*) untuk memudahkan dan mengoptimalkan ruang pada saat pengiriman.



Lion Filing Cabinet were designed in built-up or CKD (Complete Knock Down) system to provide easy transportation and space saving.


DRAWER



< Standard FC

Laci menggunakan *telescopic suspension rollers*, laci dapat ditarik hingga 100%.

Using telescopic suspension rollers, the drawers can be pulled out completely.



< Economic FC


Laci menggunakan *steel bearing*, laci dapat ditarik hingga 90%.

Using steel ball bearing, the drawers can be 90% pulled out.


STEEL CUPBOARDS

Lion Steel Cupboards tersedia dalam beragam pilihan desain dan ukuran untuk memenuhi beragam kebutuhan penyimpanan perlengkapan perkantoran.

Lion Steel Cupboards are available in a choice of style and heights and are especially suitable for general storage.



L.31
Pintu Sorong
Sliding Door




L.31K
Pintu Sorong Kaca
Glass Sliding Door

UKURAN / Size : 915 (W) x 457 (D) x 915 (H) mm



L.33
Pintu Ayun
Swing Door



L.33A
Pintu Sorong
Sliding Door



L.33AK
Pintu Sorong Kaca
Glass Sliding Door

UKURAN / Size : 916 (W) x 457 (D) x 1830 (H) mm



L.35
Pintu Retracting
Retracting Door

UKURAN / Size :
1000 (W) x 500 (D) x 1830 (H) mm

HORIZONTAL PLAN FILE CABINET

Terdiri dari 5 laci yang dapat digunakan untuk menyimpan kertas gambar ukuran A0 dan A1.



L.22
Lemari gambar dengan base dan kaki.
Drawing cabinet with base and legs.

UKURAN / Size :
1375 (W) x 990 (D) x 850 (H) mm



L.23A
Lemari gambar dengan base.
Drawing cabinet with base.

UKURAN / Size :
1375 (W) x 990 (D) x 600 (H) mm



L.23B (add on unit)
Lemari gambar tanpa base dan kaki.
Drawing cabinet without base and legs.


UKURAN / Size :
1375 (W) x 990 (D) x 450 (H) mm

STEEL LOCKER

L.551 - L.552 - L.553 - L.554 - L.556



UKURAN / Size : 380 (W) x 380 (D) x 1830 (H) mm



Lion Steel Locker dapat didesain :

- Dilengkapi dengan gantungan (untuk L.551 dan L.552)
- Tanpa gantungan (untuk L.553, L.554 dan L.556)
- Dapat dilengkapi dengan kaki sesuai kebutuhan (optional)

Lion Steel Locker can be designed :

- Completed with hanger (for L.551 and L.552)
- Without hanger (for L.553, L.554 and L.556)
- Can be completed with legs as an order (optional)

STEEL DESK

Permukaan meja dilapis dengan linolium, dengan list aluminium dan PVC.

Top surfaces were linolium covered, with aluminium list and PVC.



L. 106N

UKURAN / Size :

1200 (W) x 700 (D) x 760 (H) mm



L.106CD

UKURAN / Size : 1200 (W) x 700 (D) x 762 (H) mm



L.106



L.103N

UKURAN / Size :

1600 (W) x 700 (D) x 760 (H) mm

L.103 AL

UKURAN / Size :

Meja Utama / Main Table :

1600 (W) x 700 (D) x 762 (H) mm

Meja Samping / Side Table :

762 (W) x 437 (D) x 686 (H) mm



L.103

UKURAN / Size :

1600 (W) x 700 (D) x 762 (H) mm

L.101

UKURAN / Size :

1800 (W) x 800 (D) x 762 (H) mm

Permukaan meja dan outer front laci dapat dibuat dari plywood + HPL.

Top surfaces and outer front can be made of plywood + HPL..



L.101C



L.101CD

UKURAN / Size : 1820 (W) x 850 (D) x 762 (H) mm



L.101N

UKURAN / Size :
1800 (W) x 800 (D) x 760 (H) mm

FREE STANDING DESK

- Permukaan meja terbuat dari partikel board + HPL.
- Dilengkapi dengan Main T-Leg atau Stumb Leg.
- *Top surfaces were made of particle board + HPL.*
- *Completed with Main T-Leg or Stumb Leg.*

UKURAN / Size : 1200 (W) x 700 (D) x 740 (H) mm



Stumb Leg

** Made to special order*



Main T-Leg

LION STANDARD COLOR




Light Grey



Grey 1



Grey 2



Brown 1



Brown 2

Note:

** Due to variations in the printing process, colours may differ slightly from actual product.*

** Other colours are made to special order.*

FULL RANGE OF LION PRODUCTS

LION Office Equipment

- Filing Cabinet
- Steel Cupboard
- Steel Locker
- Office Desk
- Office Chair
- Open Plan Office System
- Modular Unit
- Mobile File
- Hospital Equipment

LION Safe

- Fireproof Filing Cabinet
- Lion Fireproof Safe
- High Security Safe

LION Racking System

- Pallet Rack
- Medium Duty Rack
- Shelving Rack
- Slotted Angle Rack
- Display Rack

LION Building Material

- Steel & Fire Door
- Cable Support System
- Liontruss

LION Cold Form Product

- C-Channel

- Untuk informasi lebih detail, dapat dilihat pada katalog masing-masing produk
- *For detail product information, please refer to specific product catalogue*

Note :

Desain produk dan spesifikasi teknis dapat berubah tanpa pemberitahuan terlebih dahulu sesuai perkembangan produk.

Product design and technical specifications subject to change without prior notice in line with product development.



**P.T.
LION
METAL WORKS Tbk.**

A Member of The Lion Group

Dealer :




Cert. No.ID04/0390



Hospital Equipment




HOSPITAL FOWLER BED



L-450-1H

FWLER BED WITH 1 CRANK

- By means of one cranks, can provide back raise.
- Mattress base from steel sheet with ventilation holes.
- Castors : 100 mm diameter swivel type, diagonal two with brake.
- Dimensions : 2080 (L) x 980 (W) x 615(H) mm - up to mattress base.




L-450-2H

FWLER BED WITH 2 CRANK

- By means of two cranks, can provide back raise and knee rise.
- Mattress base from steel sheet with ventilation holes.
- Castors : 100 mm diameter swivel type, diagonal two with brake.
- Dimensions : 2080 (L) X 980 (W) X 615 (H) mm - up to mattress base.

HOSPITAL WARDBED




L-461

HOSPITAL WARDBED

- Mattress base from steel sheet with ventilation holes.
- Castors : 100 mm diameter swivel type, diagonal two with brake.
- Dimensions : 2080 (L) X 980 (W) X 570 (H) mm - up to mattress base.

BEDSIDE CABINET




L-466

BEDSIDE CABINET

- Construction mainly of steel, baked oven painted.
- Top of cabinet covered with linolium.
- Drawer and pull - out table from steel plate.
- Mounted on 50 mm double wheeled nylon castors.
- Dimensions : 450 (W) x 400 (D) x 835 (H) mm.

OVERBED TABLE



L-474

OVERBED TABLE

- Construction mainly of steel, baked oven painted.
- Table top covered with HPL.
- Height can be adjusted between 800 and 1125 mm.
- Mounted on 50 mm double wheeled nylon castors.
- Table top size : 800 (L) x 400 (W) mm.

MISCELLANEOUS

L-524 EXAMINING TABLE

- Made from tubular pipe with baked oven painted.
- Table top made of urethane foam stuffing covered with artificial leather.
- Inclination of back rest section possible.
- With range -15 degrees and 45 degrees
- Overall dimensions :
1900 (L) x 700 (W) x 805 (H) mm.



L-527 PATIENT TRANSFER CART

- Made from tubular pipe with baked oven painted.
- A detachable stretcher with urethane foam stuffing cover with artificial leather.
- Mounted on 100 mm swivel type castors diagonal two with brake.
- Overall dimensions :
2010 (L) x 650 (W) x 890 (H) mm.



L-546 MAYO STAND

- Tray made of stainless steel.
- Tubular steel frame for base with adjustable stainless steel leg.
- Height can be adjusted between 695 and 995 mm.
- 50 mm diameter swivel castors.
- Tray size : 750 (L) x 300 (W) mm.



L-512 INSTRUMENT TABLE

- Entirely made of stainless steel.
- 2 shelves, top with guard rail and push handles.
- 75 mm diameter swivel castors.
- Dimensions : 450 (W) x 750 (L) x 800 (H) mm.



L-506 DRESSING CART

- Entirely made of stainless steel
- 3 shelves and 2 drawers.
- Top with guard rail and push handles.
- 75 mm diameter swivel castors.
- Dimensions : 500 (W) x 900 (L) x 805 (H) mm.

MISCELLANEOUS



L-521 BOWL STAND SINGLE

- Mounted on 5 swivel castors of 50 mm.
- Completed with one stainless steel bowl diameter 300 mm.
- Made from tubular pipe with baked oven painted.




L-520 BOWL STAND DOUBLE

- Mounted on 5 swivel castors of 50 mm.
- Completed with two stainless steel bowl diameter 300 mm.
- Made from tubular pipe with baked oven painted.



L-581 OXYGEN CYLINDER TRUCK

- Made of steel tubing with baked oven painted and can carry 6000 l. oxygen cylinder.
- Mounted on (9") 230 mm heavy duty wheel
- Size : 520 (W) x 1000 (H) mm.



L-481-4H

INFUSION STAND

- Stainless steel infusion rods are equipped with 4 hooks.
- Height adjustable between 1150 and 1800 mm.
- Mounted on 50 mm rubber castors.



L-481-2H

INFUSION STAND

- Stainless steel infusion rods are equipped with 2 hooks.
- Height adjustable between 1150 and 1800 mm.
- Mounted on 50 mm rubber castors.



L-541 LAUNDRY CART

- Welded steel tubing frame, with laundry bag made of nylon canvas and is detachable and washable.
- Mounted on 4 heavy duty swivel castors diameter 150 mm.
- Overall dimensions : 600 (W) x 900 (L) x 760 (H) mm.



L-542

LINEN HAMPER CARRIAGE

- Made from steel sheet, four shelves with baked oven painted.
- Overall dimensions : 500 (W) x 1100 (L) x 1125 (H) mm.
- With durable nylon canvas bag in front and is detachable and washable.
- Mounted on 2 heavy duty rigid castors 150 mm on front and 2 swivel type with 100 mm diameter on rear.



L-534 SCREEN TWO PANEL

- Frames made of steel tubing with baked oven painted.
- Each screen 90 cm wide and removeable curtains.
- Completed with 50 mm swivel type castors.
- Size : 1825 (W) x 1650 (H) mm.
- Available : L-535 for type screen three panel size 2740 (W) x 1650 (H) mm.



L-531 SCREEN FOUR PANEL

- Frames made of steel tubing with baked oven painted.
- Each screen 90 cm wide and removeable curtains.
- Size : 3655 (W) x 1650 (H) mm.



**PT
LION
METAL WORKS**



L-532 A MEDICINE CABINET

- Consists of two compartment, one with glass doors and sides lockable and 4 adjustable glass shelves
- one with steel doors and one steel shelves
- Size : 915 (W) x 458 (D) x 1830 (H) mm.



L-533 A INSTRUMENT CABINET

- For medical instrument, with glass doors and sides lockable and 5 adjustable glass shelves.
- Size : 915 (W) x 458 (D) x 1830 (H) mm.

